



An exception has been thrown during the rendering of a template ("User does not have access to 'read' 'content'") in eZDemoBundle::page_header_log o.html.twig at line 2.

500 Internal Server Error - Twig_Error_Runtime
 1 linked Exception: [UnauthorizedException](#) »



[2/2] **Twig_Error_Runtime: An exception has been thrown during the rendering of a template ("User does not have access to 'read' 'content'") in eZDemoBundle::page_header_logo.html.twig at line 2.** +

[1/2] **UnauthorizedException: User does not have access to 'read' 'content'** +

Logs -

1 error

1. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishRestBundle\EventListener\RequestListener::onKernelRequest".
2. DEBUG - Notified event "kernel.request" to listener "nelmio\CorsBundle\EventListener\CorsListener::onKernelRequest".
3. DEBUG - Notified event "kernel.request" to listener "Symfony\Component\HttpKernel\EventListener\ProfilerListener::onKernelRequest".
4. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishCoreBundle\EventListener\RequestEventListener::onKernelRequestSetup".
5. DEBUG - Notified event "kernel.request" to listener "Symfony\Bundle\FrameworkBundle\EventListener\SessionListener::onKernelRequest".
6. DEBUG - Notified event "kernel.request" to listener "Symfony\Component\HttpKernel\EventListener\FragmentListener::onKernelRequest".
7. DEBUG - Notified event "kernel.request" to listener "eZ\Publish\Core\MVC\Symfony\EventListener\SiteAccessMatchListener::onKernelRequest".
8. NOTICE - Siteaccess not matched against configuration, returning default siteaccess.
9. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishCoreBundle\EventListener\RequestEventListener::onKernelRequestIndex".
10. DEBUG - Notified event "kernel.request" to listener "Symfony\Component\HttpKernel\EventListener RouterListener::onKernelRequest".
11. INFO - Matched route "login" (parameters: "_controller": "ezpublish.security.controller:loginAction", "_route": "login")
12. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishCoreBundle\EventListener\LocaleListener::onKernelRequest".
13. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishCoreBundle\EventListener\RequestEventListener::onKernelRequestForward".
14. DEBUG - Notified event "kernel.request" to listener "Symfony\Component\Security\Http\Firewall::onKernelRequest".
15. INFO - Populated SecurityContext with an anonymous Token
16. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishCoreBundle\EventListener\RequestEventListener::onKernelRequestUserHash".
17. DEBUG - Notified event "kernel.request" to listener "Symfony\Bundle\AsseticBundle\EventListener\RequestListener::onKernelRequest".
18. DEBUG - Notified event "kernel.request" to listener "Symfony\Component\HttpKernel\EventListener\ErrorsLoggerListener::injectLogger".
19. DEBUG - Notified event "kernel.request" to listener "Symfony\Component\HttpKernel\EventListener\ErrorsLoggerListener::injectLogger".
20. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishCoreBundle\EventListener

\RequestEventListener::onKernelRequestRedirect".

21. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishLegacyBundle\EventListener\RequestListener::onKernelRequest".
22. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishRestBundle\EventListener\CsrfListener::onKernelRequest".
23. DEBUG - Notified event "kernel.controller" to listener "Symfony\Bundle\FrameworkBundle\DataCollector\RouterDataCollector::onKernelController".
24. DEBUG - Notified event "kernel.controller" to listener "Symfony\Component\HttpKernel\DataCollector\RequestDataCollector::onKernelController".
25. DEBUG - Notified event "kernel.controller" to listener "eZ\Bundle\EzPublishCoreBundle\EventListener\ViewControllerListener::getController".
26. DEBUG - SET NAMES UTF8
27. DEBUG - SELECT ezcontentobject.*, `ezcontentobject_tree`.`main_node_id` `ezcontentobject_tree_main_node_id` FROM `ezcontentobject` LEFT JOIN `ezcontentobject_tree` ON (`ezcontentobject_tree`.`contentobject_id` = `ezcontentobject`.`id` AND `ezcontentobject_tree`.`main_node_id` = `ezcontentobject_tree`.`node_id`) WHERE `ezcontentobject`.`id` = :placeholder1
28. DEBUG - SELECT `id`, `locale`, `name`, `disabled` FROM `ezcontent_language`
29. DEBUG - SELECT `ezcontentobject`.`id` `ezcontentobject_id`, `ezcontentobject`.`contentclass_id` `ezcontentobject_contentclass_id`, `ezcontentobject`.`section_id` `ezcontentobject_section_id`, `ezcontentobject`.`owner_id` `ezcontentobject_owner_id`, `ezcontentobject`.`remote_id` `ezcontentobject_remote_id`, `ezcontentobject`.`current_version` `ezcontentobject_current_version`, `ezcontentobject`.`initial_language_id` `ezcontentobject_initial_language_id`, `ezcontentobject`.`modified` `ezcontentobject_modified`, `ezcontentobject`.`published` `ezcontentobject_published`, `ezcontentobject`.`status` `ezcontentobject_status`, `ezcontentobject`.`name` `ezcontentobject_name`, `ezcontentobject`.`language_mask` `ezcontentobject_language_mask`, `ezcontentobject_version`.`id` `ezcontentobject_version_id`, `ezcontentobject_version`.`version` `ezcontentobject_version_version`, `ezcontentobject_version`.`modified` `ezcontentobject_version_modified`, `ezcontentobject_version`.`creator_id` `ezcontentobject_version_creator_id`, `ezcontentobject_version`.`created` `ezcontentobject_version_created`, `ezcontentobject_version`.`status` `ezcontentobject_version_status`, `ezcontentobject_version`.`contentobject_id` `ezcontentobject_version_contentobject_id`, `ezcontentobject_version`.`language_mask` `ezcontentobject_version_language_mask`, `ezcontentobject_version`.`initial_language_id` `ezcontentobject_version_initial_language_id`, `ezcontentobject_attribute`.`id` `ezcontentobject_attribute_id`, `ezcontentobject_attribute`.`contentclassattribute_id` `ezcontentobject_attribute_contentclassattribute_id`, `ezcontentobject_attribute`.`data_type_string` `ezcontentobject_attribute_data_type_string`, `ezcontentobject_attribute`.`language_code` `ezcontentobject_attribute_language_code`, `ezcontentobject_attribute`.`language_id` `ezcontentobject_attribute_language_id`, `ezcontentobject_attribute`.`version` `ezcontentobject_attribute_version`, `ezcontentobject_attribute`.`data_float` `ezcontentobject_attribute_data_float`, `ezcontentobject_attribute`.`data_int` `ezcontentobject_attribute_data_int`, `ezcontentobject_attribute`.`data_text` `ezcontentobject_attribute_data_text`, `ezcontentobject_attribute`.`sort_key_int` `ezcontentobject_attribute_sort_key_int`, `ezcontentobject_attribute`.`sort_key_string` `ezcontentobject_attribute_sort_key_string`, `ezcontentobject_name`.`name` `ezcontentobject_name_name`, `ezcontentobject_name`.`content_translation` `ezcontentobject_name_content_translation`, `ezcontentobject_tree`.`main_node_id` `ezcontentobject_tree_main_node_id` FROM `ezcontentobject` LEFT JOIN `ezcontentobject_version` ON `ezcontentobject_version`.`contentobject_id` = `ezcontentobject`.`id` LEFT JOIN `ezcontentobject_attribute` ON (`ezcontentobject_attribute`.`contentobject_id` = `ezcontentobject_version`.`contentobject_id` AND `ezcontentobject_version`.`contentobject_id` AND `ezcontentobject_version`.`version` = `ezcontentobject_version`.`version`) LEFT JOIN `ezcontentobject_tree` ON (`ezcontentobject_tree`.`contentobject_id` = `ezcontentobject_version`.`contentobject_id` AND `ezcontentobject_tree`.`contentobject_version` = `ezcontentobject_version`.`version`) LEFT JOIN `ezcontentobject_name` ON (`ezcontentobject_name`.`contentobject_id` = `ezcontentobject_version`.`contentobject_id` AND `ezcontentobject_name`.`content_version` = `ezcontentobject_version`.`version`) WHERE (`ezcontentobject`.`id` = :placeholder1 AND `ezcontentobject_version`.`version` = :placeholder2)
30. DEBUG - SELECT `contentobject_id` FROM `ezcontentobject_attribute` WHERE `ezcontentobject_attribute`.`id` = :placeholder1
31. DEBUG - SELECT `ezuser`.`contentobject_id`, `ezuser`.`login`, `ezuser`.`email`, `ezuser`.`password_hash`, `ezuser`.`password_hash_type` FROM `ezuser` WHERE `ezuser`.`contentobject_id` = :placeholder1
32. DEBUG - SELECT `ezuser_setting`.`is_enabled`, `ezuser_setting`.`max_login` FROM `ezuser_setting` WHERE `ezuser_setting`.`user_id` = :placeholder1
33. DEBUG - SELECT `ezcontentclass`.`id` `ezcontentclass_id`, `ezcontentclass`.`always_available` `ezcontentclass_always_available`, `ezcontentclass`.`contentobject_name` `ezcontentclass_contentobject_name`, `ezcontentclass`.`created` `ezcontentclass_created`, `ezcontentclass`.`creator_id` `ezcontentclass_creator_id`, `ezcontentclass`.`modified` `ezcontentclass_modified`, `ezcontentclass`.`modifier_id` `ezcontentclass_modifier_id`, `ezcontentclass`.`identifier` `ezcontentclass_identifier`, `ezcontentclass`.`initial_language_id` `ezcontentclass_initial_language_id`, `ezcontentclass`.`is_container` `ezcontentclass_is_container`, `ezcontentclass`.`language_mask` `ezcontentclass_language_mask`, `ezcontentclass`.`remote_id` `ezcontentclass_remote_id`, `ezcontentclass`.`serialized_description_list` `ezcontentclass_serialized_description_list`, `ezcontentclass`.`serialized_name_list` `ezcontentclass_serialized_name_list`, `ezcontentclass`.`sort_field` `ezcontentclass_sort_field`, `ezcontentclass`.`sort_order` `ezcontentclass_sort_order`, `ezcontentclass`.`url_alias_name` `ezcontentclass_url_alias_name`, `ezcontentclass`.`version` `ezcontentclass_version`, `ezcontentclass_attribute`.`id` `ezcontentclass_attribute_id`, `ezcontentclass_attribute`.`can_translate` `ezcontentclass_attribute_can_translate`, `ezcontentclass_attribute`.`category` `ezcontentclass_attribute_category`, `ezcontentclass_attribute`.`contentclass_id` `ezcontentclass_attribute_contentclass_id`, `ezcontentclass_attribute`.`data_float1` `ezcontentclass_attribute_data_float1`, `ezcontentclass_attribute`.`data_float2` `ezcontentclass_attribute_data_float2`, `ezcontentclass_attribute`.`data_float3` `ezcontentclass_attribute_data_float3`, `ezcontentclass_attribute`.`data_float4` `ezcontentclass_attribute_data_float4`, `ezcontentclass_attribute`.`data_int1` `ezcontentclass_attribute_data_int1`, `ezcontentclass_attribute`.`data_int2` `ezcontentclass_attribute_data_int2`, `ezcontentclass_attribute`.`data_int3` `ezcontentclass_attribute_data_int3`, `ezcontentclass_attribute`.`data_int4` `ezcontentclass_attribute_data_int4`, `ezcontentclass_attribute`.`data_text1` `ezcontentclass_attribute_data_text1`, `ezcontentclass_attribute`.`data_text2` `ezcontentclass_attribute_data_text2`, `ezcontentclass_attribute`.`data_text3` `ezcontentclass_attribute_data_text3`, `ezcontentclass_attribute`.`data_text4` `ezcontentclass_attribute_data_text4`, `ezcontentclass_attribute`.`data_text5` `ezcontentclass_attribute_data_text5`, `ezcontentclass_attribute`.`data_type_string` `ezcontentclass_attribute_data_type_string`, `ezcontentclass_attribute`.`identifier` `ezcontentclass_attribute_identifier`, `ezcontentclass_attribute`.`is_information_collector` `ezcontentclass_attribute_is_information_collector`, `ezcontentclass_attribute`.`is_required` `ezcontentclass_attribute_is_required`, `ezcontentclass_attribute`.`is_searchable` `ezcontentclass_attribute_is_searchable`, `ezcontentclass_attribute`.`placement` `ezcontentclass_attribute_placement`, `ezcontentclass_attribute`.`serialized_data_text` `ezcontentclass_attribute_serialized_data_text`, `ezcontentclass_attribute`.`serialized_description_list` `ezcontentclass_attribute_serialized_description_list`, `ezcontentclass_attribute`.`serialized_name_list` `ezcontentclass_attribute_serialized_name_list`, `ezcontentclass_classgroup`.`group_id` `ezcontentclass_classgroup_group_id` FROM `ezcontentclass` LEFT JOIN `ezcontentclass_attribute` ON (`ezcontentclass`.`id` = `ezcontentclass_attribute`.`contentclass_id` AND `ezcontentclass`.`version` = `ezcontentclass_attribute`.`version`) LEFT JOIN `ezcontentclass_classgroup` ON (`ezcontentclass`.`id`

```

= `ezcontentclass_classgroup`.`contentclass_id` AND `ezcontentclass`.`version` =
`ezcontentclass_classgroup`.`contentclass_version` ) WHERE ( `ezcontentclass`.`id` = :placeholder1 AND `ezcontentclass`.`version`
=:placeholder2 ) ORDER BY `ezcontentclass_attribute`.`placement` ASC
34. DEBUG - SELECT `created`, `creator_id`, `id`, `modified`, `modifier_id`, `name` FROM `ezcontentclassgroup` WHERE `id` =
:placeholder1
35. DEBUG - SELECT * FROM `ezcontentobject_tree` WHERE `node_id` = :placeholder1
36. DEBUG - SELECT ezcontentobject.*, `ezcontentobject_tree`.`main_node_id` `ezcontentobject_tree_main_node_id` FROM
`ezcontentobject` LEFT JOIN `ezcontentobject_tree` ON ( `ezcontentobject_tree`.`contentobject_id` = `ezcontentobject`.`id` AND
`ezcontentobject_tree`.`main_node_id` = `ezcontentobject_tree`.`node_id` ) WHERE `ezcontentobject`.`id` = :placeholder1
37. DEBUG - SELECT `ezcontentobject_tree`.`path_string` FROM `ezcontentobject_tree` WHERE
`ezcontentobject_tree`.`contentobject_id` = :placeholder1
38. DEBUG - SELECT `ezcontentobject`.`id` FROM `ezcontentobject_tree` INNER JOIN `ezcontentobject` ON `ezcontentobject`.`id` =
`ezcontentobject_tree`.`contentobject_id` WHERE ( `ezcontentobject_tree`.`node_id` IN ( '1', '5', '44', '45' ) AND
`ezcontentobject`.`contentclass_id` = :placeholder1 )
39. DEBUG - SELECT `contentobject_id`, `limit_identifier`, `limit_value`, `role_id` FROM `ezuser_role` WHERE `contentobject_id` IN ( '4',
'42', 10 )
40. DEBUG - SELECT `ezrole`.`id` `ezrole_id`, `ezrole`.`name` `ezrole_name`, `ezpolicy`.`id` `ezpolicy_id`,
`ezpolicy`.`function_name` `ezpolicy_function_name`, `ezpolicy`.`module_name` `ezpolicy_module_name`,
`ezpolicy_limitation`.`identifier` `ezpolicy_limitation_identifier`, `ezpolicy_limitation_value`.`value` `ezpolicy_limitation_value_value`
FROM `ezrole` LEFT JOIN `ezpolicy` ON `ezpolicy`.`role_id` = `ezrole`.`id` LEFT JOIN `ezpolicy_limitation` ON
`ezpolicy_limitation`.`policy_id` = `ezpolicy`.`id` LEFT JOIN `ezpolicy_limitation_value` ON `ezpolicy_limitation_value`.`limitation_id`
= `ezpolicy_limitation`.`id` WHERE `ezrole`.`id` = :placeholder1
41. DEBUG - Notified event "kernel.exception" to listener "Symfony\Component\Security\Http\Firewall
\ExceptionListener::onKernelException".
42. DEBUG - Notified event "kernel.exception" to listener "Symfony\Component\HttpKernel\EventListener
\ProfilerListener::onKernelException".
43. DEBUG - Notified event "kernel.exception" to listener "eZ\Bundle\EzPublishRestBundle\EventListener
\ResponseListener::onKernelExceptionView".
44. DEBUG - Notified event "kernel.exception" to listener "Symfony\Component\HttpKernel\EventListener
\ExceptionListener::onKernelException".
45. CRITICAL - Uncaught PHP Exception Twig_Error_Runtime: "An exception has been thrown during the rendering of a template ("User does
not have access to 'read' 'content'") in "eZDemoBundle::page_header_logo.html.twig" at line 2." at /var/www/html/ezpublish5/vendor
/twig/twig/lib/Twig/Template.php line 293
46. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishRestBundle\EventListener\RequestListener::onKernelRequest".
47. DEBUG - Notified event "kernel.request" to listener "nelmio/cors-bundle\EventListener\CorsListener::onKernelRequest".
48. DEBUG - Notified event "kernel.request" to listener "Symfony\Component\HttpKernel\EventListener\ProfilerListener::onKernelRequest".
49. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishCoreBundle\EventListener
\RequestEventListener::onKernelRequestSetup".
50. DEBUG - Notified event "kernel.request" to listener "Symfony\Bundle\FrameworkBundle\EventListener
\SessionListener::onKernelRequest".
51. DEBUG - Notified event "kernel.request" to listener "Symfony\Component\HttpKernel\EventListener\FragmentListener::onKernelRequest".
52. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishCoreBundle\EventListener
\SiteAccessMatchListener::onKernelRequest".
53. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishCoreBundle\EventListener
\RequestEventListener::onKernelRequestIndex".
54. DEBUG - Notified event "kernel.request" to listener "Symfony\Component\HttpKernel\EventListener\RouterListener::onKernelRequest".
55. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishCoreBundle\EventListener\LocaleListener::onKernelRequest".
56. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishCoreBundle\EventListener
\RequestEventListener::onKernelRequestForward".
57. DEBUG - Notified event "kernel.request" to listener "Symfony\Component\Security\Http\Firewall::onKernelRequest".
58. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishCoreBundle\EventListener
\RequestEventListener::onKernelRequestUserHash".
59. DEBUG - Notified event "kernel.request" to listener "Symfony\Bundle\AsseticBundle\EventListener\RequestListener::onKernelRequest".
60. DEBUG - Notified event "kernel.request" to listener "Symfony\Component\HttpKernel\EventListener\ErrorsLoggerListener::injectLogger".
61. DEBUG - Notified event "kernel.request" to listener "Symfony\Component\HttpKernel\EventListener\ErrorsLoggerListener::injectLogger".
62. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishCoreBundle\EventListener
\RequestEventListener::onKernelRequestRedirect".
63. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishLegacyBundle\EventListener\RequestListener::onKernelRequest".
64. DEBUG - Notified event "kernel.request" to listener "eZ\Bundle\EzPublishRestBundle\EventListener\CsrfListener::onKernelRequest".
65. DEBUG - Notified event "kernel.controller" to listener "Symfony\Bundle\FrameworkBundle\DataCollector
\RouterDataCollector::onKernelController".
66. DEBUG - Notified event "kernel.controller" to listener "Symfony\Component\HttpKernel\DataCollector
\RequestDataCollector::onKernelController".
67. DEBUG - Notified event "kernel.controller" to listener "eZ\Bundle\EzPublishCoreBundle\EventListener
\ViewControllerListener::getController".

```

Stack Trace (Plain Text) 